





Multi-Media Enclosure



Product Description

Multilink's modular Multi-Media Distribution Enclosure (MDE) provides both wireless and wired connectivity solutions in premise installations structured for residential MDU's, Business Applications, ONT, BB, Brownfield, Greenfield and FTTX requirements.






Features & Benefits




- Ultra flexible, modular and scalable to accommodate wireless connectivity, Cat 6, VoIP, ONT's, gateways, battery backups, SOHO access modules and receptacle mounting wherever needed
- UL & CSA listed
- Built-in louvers for improved heat dissipation
- Constructed of plastic to reduce electrical interference with wireless components
- Unique mounting grid pattern organizes components in a square when mounting to the inside of the enclosure for easy access and management
- Door frame mounts to the edge of the enclosure

Specifications

Parameter	Specification	
Dimensions:	Standard Frame: 3.75" Inside Depth	Deep Frame: 6" Inside Depth
	15"W x 15"H x 4.5"D	15"W x 15"H x 6.87"D
	15"W x 30"H x 4.5"D	15"W x 30"H x 6.87"D
	15"W x 45"H x 4.5"D	15"W x 45"H x 6.87"D
	15"W x 60"H x 4.5"D	15"W x 60"H x 6.87"D
Material:	Plastic, Flame Retardant ABS	
Color:	White	
Mounting:	Floor Stand, Stud, Wall	
Door:	Vented/Solid	
Standards:	UL 2416 - Audio/Video, Information, and Communication Technology Equipment Cabinet, Enclosure and Rack Systems CAN/CSA C22.2 No. 60950-1-07 - Canadian Standard for Safety for Information Technology Equipment – Safety – Part 1: General Requirements	

Accessories

Accessories		
Products	Description	Stock ID
	Spring-loaded Door Latch Kit	12025
	Lock & Key	99534
	Expandable Slack Storage Spool Kit	072-533-10
	FlexGrid™ Mounting Kit	072-534-10
	Electrical Outlet Duplex 120VAC	072-530-10

	Shelf	072-586-10
	Deep Shelf	072-731-10
	8 Port Voice/Data Panel Data Module	066-771-10

Ordering Guide

Standard Multi-Media Enclosures	
Products	Stock ID
Standard Frame 15" w/ Vented Door	020-296-10
Standard Frame 15" w/ Solid Door	020-296-20
Standard Frame 30" w/ Vented Door	020-298-10
Standard Frame 30" w/ Solid Door	020-298-20
Standard Frame 45" w/ Vented Door	020-300-10
Standard Frame 45" w/ Solid Door	020-300-20
Standard Frame 60" w/ Vented Door	020-302-10
Standard Frame 60" w/ Solid Door	020-302-20
Standard 15"W/ Deep Frame w/ Vented Door	020-390-10
Standard 30"W/ Deep Frame w/ Vented Door	020-392-10
Standard 45"W/ Deep Frame w/ Vented Door	020-394-10
Standard 60"W/ Deep Frame w/ Vented Door	020-396-10

Ordering Guide

Flush Mount Multi-Media Enclosures

Products	Stock ID
Flush Mount Frame 15" w/ Vented Door	020-297-10
Flush Mount Frame 15" w/ Solid Door	020-297-20
Flush Mount Frame 30" w/ Vented Door	020-299-10
Flush Mount Frame 30" w/ Solid Door	020-299-20
Flush Mount Frame 45" w/ Vented Door	020-301-10
Flush Mount Frame 45" w/ Solid Door	020-301-20
Flush Mount Frame 60" w/ Vented Door	020-303-10
Flush Mount Frame 60" w/ Solid Door	020-303-20
Flush Mount 15"W/ Deep Frame w/ Vented Door	020-391-20
Flush Mount 30"W/ Deep Frame w/ Vented Door	020-393-10
Flush Mount 45"W/ Deep Frame w/ Vented Door	020-395-10
Flush Mount 60"W/ Deep Frame w/ Vented Door	020-398-10

Floor Stand Multi-Media Enclosures

Products	Stock ID
Floor Stand 15" w/ Vented Door	020-294-10
Floor Stand 30" w/ Vented Door	020-295-10

Deep Frame Retro-Fit Multi-Media Enclosure Kits (frame only)

Products	Stock ID
Standard Deep Frame Retro-Fit Multi-Media Enclosure Kits 15"	072-722-10
Flush Mount Deep Frame Retro-Fit Multi-Media Enclosure Kits 15"	072-723-10
Standard Deep Frame Retro-Fit Multi-Media Enclosure Kits 30"	072-724-10
Flush Mount Deep Frame Retro-Fit Multi-Media Enclosure Kits 30"	072-725-10
Standard Deep Frame Retro-Fit Multi-Media Enclosure Kits 45"	072-726-10
Flush Mount Deep Frame Retro-Fit Multi-Media Enclosure Kits 45"	072-727-10
Standard Deep Frame Retro-Fit Multi-Media Enclosure Kits 60"	072-728-10
Flush Mount Deep Frame Retro-Fit Multi-Media Enclosure Kits 60"	072-729-10

MDE Configurator

MDE		FR									
	1	2	3	4	5	6	7	8	9	10	11

1	Enclosure Style
W	Standard Frame
T	Flush/Tapered Frame
F	Floor Stand
DW	Deep Standard Frame
DF	Deep Flush Frame

2	Material
FR	Flame Retardant Plastic

3	Size (Height)
15	15" H
30	30" H
45	45" H
60	60" H

4	Section 1 Door
S	Solid - Standard
V	Vented
SC	Standard Custom Nameplate
VC	Vented Custom Nameplate

5	Section 2 Door*
S	Solid - Standard
V	Vented
SC	Standard Custom Nameplate
VC	Vented Custom Nameplate

6	Section 3 Door*
S	Solid - Standard
V	Vented
SC	Standard Custom Nameplate
VC	Vented Custom Nameplate

*If Applicable

*If Applicable

7	Section 4 Door*
S	Solid - Standard
V	Vented
SC	Standard Custom Nameplate
VC	Vented Custom Nameplate

8	Section 5 Door*
S	Solid - Standard
V	Vented
SC	Standard Custom Nameplate
VC	Vented Custom Nameplate

9	Section 6 Door*
S	Solid - Standard
V	Vented
SC	Standard Custom Nameplate
VC	Vented Custom Nameplate


*If Applicable

*If Applicable

*If Applicable

10	Lock
Y	Yes
N	No

11	Latch
Y	Yes
N	No




Expandable Design

The Multi-Media Distribution Enclosure stackable design allows for the removal of both end plates, also the expansion of the entire Multi-Media Distribution Enclosure.

Knockouts



Outlet box and 2 stage knockouts on the bottom of the Multi-Media Distribution Enclosure.



Multi-Media Distribution Enclosure Loaded Example

Vented Cover

The Multi-Media Distribution Enclosure provides a great ventilation to help dissipate heat efficiently.




FLEXGRID™

All enclosures include Multilink's FLEXGRID™ patented grid system with 1" center with built in alignment score lines.


Wall Mount Configuration

All enclosures come with our Multilink FLEXGRID™. FLEXGRID™ is a patented grid system with 1" center with built in alignment score lines.

Allows for surface mount and in stud mounting.



Floor Mount Configuration



Multilink®

Simply More...



Scan
QR for
website.

Multilink, Inc
580 Ternes Ln
Elyria, OH 44035
Tel: (440) 366-6966
Fax: (440) 366-6802



facebook.com/GoMultilink1



twitter.com/GoMultilink



youtube.com/GoMultilink

North America	Europe, Middle East & Africa	Latin & South America
Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Mobile: +1 440 366 6802 Email: lasupport@gomultilink.com

Contact Us

Copyright © 2020 Multilink Inc. • All rights reserved • Specifications subject to change without notice • Rev. December 10, 2020

INSTALL AND OPERATION